


**Q9 Black Bream stocks in the Coorong are largely depleted through overfishing particularly during the months from September to November in the vicinity of the Barrages; what should be done about this?**


Answered: 378 Skipped: 68



ANSWER CHOICES	RESPONSES	
Implement a Closed season for commercial and recreational fishing for Black Bream during this period	39.95%	151
Totally close the commercial and recreational Black Bream fishery until stocks recover	26.19%	99
Close all fishing within 300 metres of the barrages	11.90%	45
Black Bream should be catch and release only until stocks recover	31.22%	118
Reduce the recreational daily bag limit of Black Bream to 2	25.40%	96
Reduce the bag Limit of Black Bream to 5	12.43%	47
Total		378

Q10 Currently the catch of Black bream is shared approximately 50/50 between recreational and commercial fishing sectors. The commercial catch of Black bream is worth only \$29,000/year and is made up mainly of untargeted by-catch when using large mesh nets for Mulloway. In light of this information, which of the following management actions do you support.

Answered: 368 Skipped: 78



ANSWER CHOICES	RESPONSES
Remove Black bream as a commercial species and make it recreational only	18.48% 68
Remove the use of commercial large mesh nets in Area A (Goolwa to Mark Point) during the period from September to November.	21.20% 78
Remove the use of large mesh nets in Area A on a year-round basis	29.89% 110
A & B	6.79% 25
A & C	23.64% 87
<b>TOTAL</b>	<b>368</b>

